CITY OF CAMBRIDGE							
DEPARTMENT OF PUBLIC V	VORKS						
CSO VOLUME METERING SUMMARY - FEBRUARY 2002							
	DPW RAIN GAUGE						
	GIVEN IN INCHES						
DATE	(WATER EQUIVALENT)						
02/01	0.78						
02/02	0.00						
02/03	0.00						
02/04	0.03						
02/05	0.00						
02/06	0.00						
02/07	0.00						
02/08	0.00						
02/09	0.00						
02/10	0.13						
02/11	0.41						
02/12	0.00						
02/13	0.00						
02/14	0.00	_					
02/15	0.00						
02/16	0.00						
02/17	0.12						
02/18 02/19	0.00 0.00						
02/19	0.00	_					
02/21	0.00						
02/22	0.00						
02/22	0.00						
02/24	0.00						
02/24	0.00						
02/25	0.05	_					
02/27	0.36	_		 			
02/28	0.02			 			
VE/EU							
TALS*	2.19						
cipitation Readings in BOLD taken from Boston Water and Sewe	er Commission rain gauge data at Allston	and verified against N	ational Weath	ner Service da	ata for Bo	ston.	
cipitation readings taken from Rain Gauge at # 147 Hampshire Street							
	,go, amos salormos notou.						
							\vdash